

# PMS Corporation life towards light

#### About PMS Corporation:

PMS Corporation, LED Lighting manufacturing company was founded in 2016 by 5 year experienced Mr. Manish Sharma. The organization is highly recognized for manufacturing wide range of products including LED Round Panel Light, LED Square Panel Light, LED Down Light, LED Lighting, Solar LED Street light, Outdoor Lights, Shop Lighting, Office Lighting and Home Lighting etc.

These extraordinary products are manufactured by the applications of the renowned international brands such has CREE Leds, Philips & COBs and Meanwell Drivers for guarantying our consumers with the greatest and appropriate lighting solutions.

PMS Corporation is **ISO 9001: 2015** certified for Quality Management System. PMS Corporation is also successfully registered under *Ministry of Micro, Small and Medium Enterprises (MSME)*.

The organization operates with well qualified technical assistance for providing eco-friendly, durable and innovate illuminations LED lights to customers. We offer our products under the brand name "PMS" and also provide 2 year manufacturing Warranty for products. Our products are designed by experts, who are well-versed in the respective field and are aware of the specific requirements of the customers. The raw material that is used in the development of the whole assortment is sourced from the most reliable vendors of the industry.

### Our Vision:

Oure vision is to become India's largest LED Lighting Manufacturing company to offer latest designed LED Lights with lowest power consumption. Our 5 year experience in lighting helps us deliver maximum value to our customers through quality products. With an aim to be on the forefront of lighting technology.

### Our Team:

PMS Corporation's founder Mr. Manish Sharma, is 5 year experienced Electronic Engineer, who has experienced in Designing & Testing in Led lightings work area. Except founder, PMS Corporation has well qualified technical team whose main focus is to provide the best quality lighting products to our customer's. Most of the profanation working at senior levels have put in many years of experience in the lighting industry. Our sale and Marketing team work closely interact with our technical team top satisfy the market demand thus making the products costs very effective. Thus we are a dynamic team working satisfy customer need all the time in a timely and effective manner.





pmsc"		
Item Name	: Glossy LED 7W Bulb	
Model No.	: GL-7	
M.R.P.	: 160/-	
Lumens	: 700 lm	
Lamp Holder	: B22, E27	
Color Temp.	: CW, WW	
Voltage	: 220-240V AC	


pmsc™	
Item Name Model No. M.R.P. Lumens Lamp Holder Color Temp. Voltage	











# www.pmscorporation.com

# **PMS CORPORATION**







nonnnanno	
Model No.	: SL-0.5
M.R.P.	: 39/-
COLUR	: B/G/R/Y/0
Lamp Holder	: B22
Voltage	: 220-240V AC





DC	pmsc™
Item Name	: DC LED 4W Bulb
Model No.	: DL-7
M.R.P.	: 200/-
Lumens	: 400 Im
Lamp Holder	: B22, E27
Color Temp.	: CW, WW

: 12V DC

Voltage





Model No.	: PFL-10
M.R.P.	: 2250/-
Lumens	: 1000lm
Color Temp.	: CW, WW,NW,G,R,B
Voltage	: 220-240V AC
L>N SURGE	Volttage Protection







item Name	: 30W street light	
Model No.	: PSL-30AC	
M.R.P.	: 2800/-	
Lumens	: 3000lm	
Color Temp.	: CW, WW	
Voltage	: 220-240V AC	
L>N surge Voltage Protection		



## www.pmscorporation.com

# **PMS CORPORATION**



Item Name	: 20W LED Tube
Model No.	: PLT-20
M.R.P.	: 650/-
Lumens	: 2000lm
Color Temp.	
Voltage	: 220-240V AC
L>N SURGE	Volttage Protection



Item Name	: 30w street Light
Model No.	: PSL-30
M.R.P.	: 2950/-
Lumens	: 3000lm
COLUR	: CW,WW,NW
Voltage	: 220-240V AC
L>N SURGE	VOLTAGE PROTECTION



Item Name	: 30W Flood Light
Model No.	: PFL-30
M.R.P.	: 3200/-
Lumens	: 3000lm
Color Temp.	: CW, WW,NW,G,R,B
Voltage	: 220-240V AC
L>N SURGE	Volttage Protection









Model No. : PFL-50 : 3999/-M.R.P. : 5000lm Lumens Color Temp. : CW, WW,NW : 220-240V AC Voltage L>N SURGE Volttage Protection







ltem Name Model No.	: 70W Flood Light : PFL-70
M.R.P.	: 5599/-
Lumens	: 7000lm
Color Temp.	: CW, WW,NW
Voltage	: 220-240V AC
L>N SURGE	Volttage Protection



Item Name	: 100W Flood Light
Model No.	: PFL-100L
M.R.P.	: 8999/-
Lumens	: 10000lm
Color Temp.	: CW, WW,NW
Voltage	: 220-240V AC
L>N SURGE	/olttage Protection







Item Name	: 100W Flood Light
Model No.	: PFL-100
M.R.P.	: 7999/-
Lumens	: 10000lm
Color Temp.	: CW, WW,NW
Voltage	: 220-240V AC
L>N SURGE \	/olttage Protection





M.R.P.	: 2000/-	
Lumens	: 1000lm	
Color Temp.	: CW, WW, NW	
Voltage	: 220-240V AC	
L>N SURGE Volttage Protection		
COB: Philips , Cree		







Item Name	: 12W surface Power spot
Model No.	: PWM-12R
M.R.P.	: 1950/-
Lumens	: 1050lm
Color Temp.	: CW, WW, NW
Voltage	: 220-240V AC
L>N SURGE Volttage Protection	
COB: Philips ,	Cree



# **PMS CORPORATION**







**PMS Corporation** is continually developing better design and therefore reserves the right to change or amend product or technical Details without prior notice. Information and Photographs in this catalogue are property of **PMS CORPORATION** and must not be copied without permissions in writing from **PMS CORPORATION**. Products names, logos, brand and other trademarks featured or referred to withing this documents are the property of other respective trademark holders.

The Company undertakes to replace or repair products as its discretion should it become defective solely of faulty materiel no guarantee or warranty for body or frame .

The guarantee does not extend to cover consequential loss or installation cost arising from defective products The guarantee will be invalid if the products has not been installed or maintained in accordance with the company instruction or if any attempts has been made to rectify, dismantle the products.

#### Terms & Condition

Products & Price are subjects to change without prior notice.

All applicable taxes extra.

No risk is accepted for loss or damages to goods in transit.

All items will be supplied in standard packing only.

All disputes subject to Delhi jurisdiction

#### Notes

Input Voltage : 220V-240V AC 50Hz All fitting can operate from 100V to 300V M.R.P. is inclusive of electronic driver All lumens are system lumens. All wattages are system wattages All dimensions are in mm H=Height, CO=Cutout, OD=Outer Dimensions, L=Length, B=Breadth CW=Cool White, NW=Neutral White, WW=Warm White, WH=White, BS=Brush Steel, W=White, R=Red, Y=Yellow, B=Blue, G=Green, P=Pink



LED Light Earth Friendly Lighting inventions for a green future





Mfd By: **PMS CORPORATION** D-70G Aman Puri Nangloi Delhi - 110041 Cust care cell (address as above) Call us : +91- 7503175125, 9650343170 Email : sales@pmscorporation.com www.pmscorporation.com

### Authorized Dealer